
Pool Pump

Revision: 1. Released on 08/25/2021

NAP-CS075-S, 0.75HP, Single Phase 115/220-230V

1 Solid Almond Pool Pump. Proven Design with Quality Workmanship.

2 Capacitor Start Capacitor Run Motor with Cool Running. Rear Compartment for Easy Field Wiring.




3 Standard American Style (NEMA) 56Y Square Flange Motor, ODP, 304 Stainless Steel Shaft Extension. UL listed Dupont Nomex Class F Insulation System for Years of Trouble Free Operation.

4 Wet End Made of Virgin Resins. A Popular Design among Professional Pool Installers.


5 Improved Seal Plate with Staggered Teeth Inserts for Stronger Torque Capability. Salt (Viton) Mechanical Seal Able to Sustain Harsh Chemical Corrosion.

6 Performance Curve

Single Phase 115/220-230v, Calss F Insulation System;



7 Shape Size



PACIFIC
INTEGRATED MANUFACTURING SOLUTIONS

MODEL : NAP-CS075-S			
VOLTS :115// 220-230	HZ : 60//50	PH : 1	RPM : 3450//2850
HP : 0.75	AMPS: 7.0/3.5//8.8/4.4	SF : 1.95	SFA :13.0/6.5//10.0/5.0
ENCL. : ODP	DUTY : CONT	IN.CLASS: F	CODE : B
AMB : 40℃	THERMALLY PROTECTED:AUTO		LBS /KG :45.2/20.5

MADE IN P.R.C Serial Number.

