PACIFIC
INTEGRATED MANUFACTURING SOLUTIONS


Pool Pumps

Revision: 1. Released on 08/25/2021

NAP-CS300-S, 3HP, Single Phase 220-230v

1 Solid Almond Pool Pump. Proven Design with Quality Workmanship.

2 Capacitor Start Capacitor Run Motor with Cool Running. Rear Compartment for Easy Field Wiring.




3 Standard American Style (NEMA) 56Y Square Flange Motor, ODP, 304 Stainless Steel Shaft Extension. UL listed Dupont Nomex Class F Insulation System for Years of Trouble Free Operation.

4 Wet End Made of Virgin Resins. A Popular Design among Professional Pool Installers.


5 Improved Seal Plate with Staggered Teeth Inserts for Stronger Torque Capability. Salt (Viton) Mechanical Seal Able to Sustain Harsh Chemical Corrosion.

6 Performance Curve

Single Phase 220-230v, Calss F Insulation System;



7 Shape Size



PACIFIC
INTEGRATED MANUFACTURING SOLUTIONS

MODEL : NAP-CS300-S			
VOLTS : 220-230	HZ : 60/50	PH : 1	RPM : 3450/2850
HP : 3	AMPS: 12/12.5	SF : 1.0	SFA : 12.0/12.5
ENCL. : ODP	DUTY : CONT	IN.CLASS: F	CODE : B
AMB : 40℃	THERMALLY PROTECTED:AUTO		LBS /KG :56/25

MADE IN P.R.C Serial Number:

