Pool Pump


Revision: 2. Released on 05/23/2023

NAP-MS200, 2HP, Single Phase 230v

1 Single phase 230v, IP66 rated VFD. cCSAus Certified NSF/ANSI 372 Compliant. DOE Compliant.

2 Simple 4-Speed Drive, 4 buttons preset at 3450RPM, 2800RPM, 1700RPM, 1300RPM respectively. 3450RPM Function will automatically reset to 2800RPM with 12 hours of operation. Drive will take in single phase 230v power and convert it to three phase 230v to high efficiency motor.





3 Spacious L1-L2-Ground Wiring Terminal Box. Reserved a second chamber for our premium variable speed pumps.


4 Powerful full rated 2HP pump performance; Optional High quality Viton seal with SS 316 hardware good for salty environment; Quiet operations at full speed ranges.

5 High efficiency induction motor, full rated 2HP SF 1.35, 230V.

6 Performance Curve

Single Phase 230v Power-in, Class F Insulation System; RPM: 3450/2800/1700/1300. 2HP Full Rated Impeller.

cCSAus Safety Certification and DOE Compliant (to be verified by a third party lab.)



7 Shape Size: cCSAus Certified to NSF/ANSI 372 Compliance. DOE Compliant (to be validated). CSA Tested to UL 778 and UL 1081 Compliance.

1

